

5PAN UNIVERSAL PVT LTD RAIPUR

PAN: AAACQ5438R | GSTIN: 22AAACQ5438R1Z1

PRODUCTS AND SERVICES

- CNC Engraving & Cutting Machine
- Industrial Automation
- Industrial Installation & Maintenance services
- PCB Designing & Fabrication
- 3D Printing Machine
- Plastic Injection Moulding

36 INC, 2nd Floor, City Center, Pandri Raipur, Chhattishgarh 492001 +91 7024222985 | +91 9131999553 spanuniversal@hotmail.com



5PAN UNIVERSAL PVT.LTDRAIPUR







CO₂ Laser Cutting And Engraving Machine

"Harness the Power of Precision with our CO₂ Laser Machine - Unleash Your Creative Potential Today!"

Contact Us

- (t) +91 7024222985, +91 9131999553
- 2nd floor, 36INC, City Centre mall, Pandri, Raipur, C.G 492004
 - Spanuniversal@hotmail.com

CO₂ Laser Machine Specification

CO₂ Laser Machine Parts

CO₂ Laser Machine Parts

(300 X 200) mm

MODEL NAME/NO.	PANTHER/5PAN23SXYZ
LASER POWER	40,50,60,80,100,130,150,180 in W
WORKING AREA	1200*900mm, 900*600mm, A4
CUTTING SPEED	0-12000 mm/min
ENGRAVING SPEED	0-24000 mm/min
COOLING WAY	WATER
SUPPORT FILE FORMAT	VECTOR (dxf,jpg,CDR,DWG,CAD)
CONTROL SOFTWARE	RD Works
TRAINING	SOFTWARE
BED TYPE	HONEYCOMB, KNIFE EDGE.

- LASER POWER: 20W, 30W, 50W, 70W, 100W,120W
- WORKING SIZE:- ABOVE ALL SIZES ARE IN CM
- WORKING VOLTAGE: 230volt AC
- TUBE: 40W / 50W / 60W / 80W / 100W / 130W/150W/180W
- HONEYCOMB, KNIFE TABLE,
- CONTROLLER: M2 BOARD/ RUIDA/TROCEN
- SOFTWARE: CORAL/RD/LASERCAD LENS &
- MIRROR AMERICAN PHOTONICS USA
- MECHANISM: LINEAR RAIL GUIDE/OUTER
- SLIDE RAIL AMERICAN MODULE GUIDE/INNER
- SLIDE RAIL RACK AND PINNION IN Y AXIS OF 1300 X 2500MM.
- WATER PUMP/CHILLER: CW3000/5000/5200
- AIR COMPRESSOR YUTING 002/008/009/012
- MOTOR & DRIVER: 42,57, 86KGCM
- WEIGHT: 50KG TO 1000KG BASED ON MODEL.
- HIGH SPEED MOTION AND RED BEAM.
- POWER METER DISPLAY
- WATER TEMPERATURE DISPLAY
- BLOWER 550W






CONTROL UNIT











NOZZLE HEAD



CHILLER





EXHAUSTER





Specialties of Our CO₂ Laser Machine

- Customization: Tailor our product to meet your unique needs.
- Make in India: Proudly crafted in India, supporting local manufacturing.
- Made by Indian: Embrace quality with a product made by skilled Indian craftsmen.
- 2-Year Unconditional
 Warranty: Enjoy peace of mind
 with a generous warranty period.
- Free Installation: Seamless setup at your convenience.
- Free 1-Week Machine
 Operating Training: Gain
 expertise with complimentary
 training.

Products Designed By CO₂ Laser Machine

















USED TO CUT AND ENGRAVE

MDF, CARDBOARD, ACRYLIC, WOOD, PLASTIC, LEATHER





WOOD CNC ROUTER

"Unleash Your Creativity with Precision-Crafted Wood Designs - Get a Wood CNC Router Now!"

Contact Us


- +91 7024222985, +91 9131999553
 - 2nd floor, 36INC, City Centre mall, Pandri, Raipur, C.G 492004
- Spanuniversal@hotmail.com

Wood CNC Router Specification

CNC Router Parts

Products Designed by CNC Router

- CONTROLLING SYSTEM- DSP RICHAUTO AllE JAPANESE YAKO MOTOR N DRIVE.
- RACK N PINNION TAIWAN BRAND HELICAL 25MM.
- HIWIN BRAND RAIL 20MM,
- 2510 BALL SCREW IN Z,
- 1300*2500 MM
- Z 300MM, X 1300MM, Y 2500MM.
- AUTO LUBRICATION,
- 5.5KW WATER COOLED GDZ OR GDK24000RPM,
- 6KW AIR COOLED HQD 18000RPM,
- BEST OR FUILING INVERTER,
- HORIZONTAL T SLOT





















"Cut Through Metal with Ease - Unleash the Power of Precision with Our Advanced Fiber Metal Cutter. Get the Perfect Cuts Every Time!"

Contact Us

- +91 7024222985, +91 9131999553
- 2nd floor, 36INC, City Centre mall, Pandri, Raipur, C.G 492004
- Spanuniversal@hotmail.com

Fiber Metal Cutting Machine Specification

- FIBER METAL LASER CUTTING SIZE: 30000X1500MM X
 80MM
- LASER POWER-1000,2000,3000WATT RECI/MAX/RAYCUS/IPG CONTROL SYSTEM CYPCUT2000 - FSCUT2000
- LASER HEAD AUTO FOCUS SWITZERLAND MAKE BM110
 RAYTOOLS WATER CHILLER TONGFEI, HENLI, S&A, CROWN
 OWN MAKE, 1000W AUTO GAS SWITCHING, CONTROL PANEL
 WITH PC & REMOTE SCHINDLER ELECTRONIC PANEL WITH
 PANEL 300W AC GEAR BOX JAPANESE SHIMPO REDUCER
- JAPANESE FUJI / YASKAWA / PANASONIC SERVO X AXIS 850W, Y AXIS 1.3KW*2, Z 400W YYC BRAND RACK & PINION 25MM, LINEAR GUIDE RAIL HIWIN 25MM. PNEUMATIC COMPONENTS- JAPANESE SMC
- PNEUMATIC COMPONENTS AIRTEC PNEUMATIC.
- LASER WAVELENGTH 1064NM, LASER LIFE 100000HOURS X, Y AXIS POSITIONING ACCURACY +/-0.01Mm,
- X, Y AXIS REPEATABILITY +/- 0.01Mm
- X, Y AXIS RAPID TRAVERSE SPEED 120M/min.
- X. Y AXIS MAXIMUM CUTTING SPEED 100M/min.
- MINIMUM CUTTING WIDTH -0.02 0.08Mm.
- MAXIMUM CUTTING THICKNESS 5,6,8MM SS, 10,16,22MM SS. ELECTRICITY REQUIREMENT - 220V, 50HZ OR 380V, 50HZ MACHINE TOTAL POWER 22,24,26KW,
- MACHINE BED LOADING CAPACITY 1500,2000KG / 1.5,2,2TONES.
- AUTOMATIC OIL LUBRICATION PUMP SYSTEM
- GRAPHICS FORMAT-HPGL-PLT,LAS, DXF,AI, DST,DXP,DWG, MACHINE BODY WEIGHT 3200,3800,4000KG/3.2,3.8,4TONES



PRODUCTS